



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Some Notes on Ohio Birds, W. F. Henninger, New Bremen, Ohio.
Greetings from the Audubon Societies, Eugene Swope, Cincinnati, Ohio.

Discussion of the other papers was omitted on account of lack of time.

Four papers with titles on the printed programme were not read, owing to the lack of time or to the absence of the author. These are the following:—

Ornithological Work at the Iowa Lakeside Laboratory (Illustrated), T. C. Stephens.

Notes on the Red-tailed Hawk, B. H. Bailey, Cedar Rapids, Iowa.
Relative Abundance of Birds as Noted on an Overland Journey, Lynds Jones.

Completion of a Warbler Collection, Gerard Alan Abbott, Chicago, Illinois.

T. L. HANKINSON, Secretary.

FIELD NOTES

THE BLACK RAIL (*Creciscus jamaicensis*) AT ST. MARKS, FLA.

DURING the severe hurricane and accompanying high water on September 4, 1915, two of these birds were picked up exhausted and soon died, and two or three others were seen on the borders of an extensive river marsh at that time entirely submerged. One of the captured birds had been drifted up onto the railroad embankment in our village, where it borders the broad marsh.

JOHN WILLIAMS.

LAUGHING GULL (*Larus atricilla*) NESTING NEAR ST. MARKS, FLA.

IN Bulletin No. 292 of Bureau of Biological Survey, published October 25, 1915, pages 51-53, no breeding colony of this species is given between Cape Sable and Passage Key and the coast of Louisiana. For many years there has been a nesting colony of these birds about eight miles west of St. Marks' lighthouse—usually on one of two or three small islands about a half-mile off shore. On June 24, 1914, fifteen birds were seen flying near the island. No nests seen. June 6, 1915, fifteen pairs were nesting and on that date nests contained two and three eggs mostly. Two nests had each two very small chicks. June 19, 1915, nests seen June 6 had all been washed away by a high tide and other nests were found about 300 yards distant from former nests, the newly-made nests containing one, two and three eggs; one nest with a single very young bird.

JOHN WILLIAMS.